Work Orde September-11-1						Page 1									
Item ID: Revision ID: Item Name: Start Date:	D2174-041 Web Assembl 10/17/13	y Start Qty: 7	l ¥.00	*2*	Accept			1900 Cust Item II		100)*	Setup	Start Stop	ı VI .	S1* S2*
Required Date:	10/17/13	Req'd Qty: 2	2.00	*2*				Customer:		_		.	64		,
Approvals:	Process Pla	in: MLJ		Date: 13-09-11	Toolin	g:		Da	ıte:			Run	Start	1/1	R1*
	QC:			Date:	SPC (Y	Y/N):		Da	ite:				Stop	*N	R2*
Sequence ID/ Work Center II	D .	Operation Description			Set Rur	Up/ 1 Hours		Tool ID	Tool #	Plan Code	Accept Qty	Rej Qty		Reject Number	Insp. Stamp
Draw Nbr	Rev	ision Nbr		<i>y</i>											•
D2174	Rev	Έ													,
100		Small Fab			0.00						ľ¥				Blalis
Small Fab		Mer	no		0.00						-12				
Small Fab 110 *11 ↑			^	as per Dwg D2174-0412- Io	lentify as I 0.00	D2174-041 DAS 27 \ 9-89	ı				1				:
QC Quality Control		Mer		000005.4.3.44	0.00	131m	211				-}	-			
*120 *120* Powdercoat Powder Coating		<i>M136.</i> Mer	809	per QSI005 4.3-Alum : FINISH TIME:	0.00 0.00 OVEN TE	EMPERATURI	E:					b.	13-11	1-18.	CAB 34 9-89

DAS 36 9-89

NCR:	Yes	/ No				WORK ORDER NON-O	100	NFORM	ANCE / UPDA	ATE				-		
			·								QA Closed:	Date	e:			
Work Orde	er.					DISPOSITION		AGAINST DEPARTMENT/PROCESS								
Part No.						Rework Scrap	ľ	Skid-tube Crosstube Machining Small Fab			Water Jet d. Eng. Coor.	Eng	ineering Quality			
NCR No.									noforming Large Fab	` Rec/Stoi	re/Packaging Supplier		Other			
Root		•			Descri	ption of work order update		Initial	Actio	n	Sign &					
Cause		Date	Step	Qty	(or Non-conformance	Ch	nief Eng	Descrip	otion	Date	Verification	Q	C Inspector		
Doc/Data	Ш															
Equip/Tooling	Ш															
Operator			1	ļ		·							-			
Material																
Setup																
Other										:						
Process																
Supplier																
Training																
Unapproved	П		ļ										1			
						F	AUL	LT CATE	GORY							
Landi	ng (Gear				General								-		
		Bending				Bend		Grain			Ovalized	[Pressu	re/Forced		
		Centre N	ot Conce	ntric to	o/s	BOM/Route	Г	Hardwa	re		Over/Under	tolerance	Temp	erature/Cure		
İ	Cracks					Broken/Damaged		Inspecti	on Incomplete		Part Incorred	ct [Weld			
	Г	Crushed/	Crimped			Burrs		Instruct	ions Incomplete/Un	nclear	Part Lost/Mi	ssing	Wron	g Stock Pulled		
		Cuffs				Contamination		Mainte	nance		Part Moved	-				
		Heat Trea	at			Countersink		Mislabe	led		Positioned V	Vrong				
		Inspectio	n Strip in	Tube		Cut Too Short Misread				Power Loss/		Other				
	Ripples in Bend					Drill Holes		Offset			•	_	•			

Out of Calibration

Out of Sequence

Outside Dimensions

DQA:

Date:

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Orde September-11-13				*10		Page 2							
Item ID: Revision ID: Item Name:	D2174-041 Web Assembly	v	The second secon	Accept	*N90	004 0	100)* s	etup Star Stop	I VI	*NS1* *NS2*		
	10/17/13	Start Qty: 2.00 Req'd Qty: 2.00	*2* *2*		Cust Iten Custome					I NI	. 7/		
Approvals:	Process Pla	n:	Date:	Tooling: SPC (Y/N):		Date:		R	Run Star Stoj	" [X]	R1* R2*		
Sequence ID/ Work Center II 130 *130* QC Quality Control)	Operation Description QC3- Inspect Part Finish Memo		Set Up/ Run Hours 0.00	Tool ID	Tool#	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp	DAS 36 9-89	
*110 * Small Fab Small Fab		Small Fab Memo Install nuts &	bolts loosely as per Dwg	0.00 0.00 g D2274				_ <i> </i> K_			13/11/	DAS 36 36 -89	
150 *150* QC		QC5- Inspect part comple	teness to step on W/O	0.00 2 9 -	AS 17 11 19			<i>j</i>					

Quality Control

DQA: Date: **WORK ORDER NON-CONFORMANCE / UPDATE** Yes / No NCR: QA Closed: Date: **AGAINST DEPARTMENT/PROCESS** DISPOSITION Work Order: Water Jet Skid-tube Crosstube Engineering Rework Quality Machining Small Fab Prod. Eng. Coor. Part No. Scrap Use-as-is Thermoforming Finishing Rec/Store/Packaging Other Composite Supplier NCR No. Work Order Update Large Fab Description of work order update Initial Action Sign & Root Verification Step Qty or Non-conformance Chief Eng Description Date QC Inspector Date Cause Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved **FAULT CATEGORY** La

ndir	ng Gear	 General		_	 _	 _
	Bending	Bend		Grain	Ovalized	Pressure/Forced
•	Centre Not Concentric to O/S	BOM/Route		Hardware	Over/Under tolerance	Temperature/Cure
	Cracks	Broken/Damaged		Inspection Incomplete	Part Incorrect	Weld
	Crushed/Crimped	Burrs		Instructions Incomplete/Unclear	Part Lost/Missing	Wrong Stock Pulled
	Cuffs	Contamination		Maintenance	Part Moved	_
	Heat Treat	Countersink		Mislabeled	Positioned Wrong	_
	Inspection Strip in Tube	Cut Too Short		Misread	Power Loss/Surge	Other
	Ripples in Bend	Drill Holes		Offset		
	Torque Waves in Extrusion	Drawing		Out of Calibration		
	Turning Sequence	Finish		Out of Sequence		
	Wave/Twist in Tube	Folio	Г	Outside Dimensions	•	

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Orde				*106919*											
Revision ID:	D2174-041 Web Assembly	<i>y</i>		Accept	*N900	040	100)*	Setup	Start Stop		S1* S2*			
Start Date: Required Date: Reference:	10/17/13 10/17/13	Start Qty: 2.00 Req'd Qty: 2.00	*2* *2*		Cust Item I Customer:	D:									
Approvals:		Process Plan: Date: Date: Date:				ate:		3	Run	Start Stop	*NR1* *NR2*				
Sequence ID/ Work Center II 160 *1,60* Packaging	D	Operation Description Identify as per dwg & St	ock Location: 57240	Set Up/ Run Hours 0.00	Tool ID	Tool#	Plan Code	Accept Qty	Qty	, I	Reject Number	Insp. Stamp			
Packaging 170 *1.70* QC		QC21- Final Inspection Memo	- Work Order Release	0.00						3/11,	bic	B			
Quality Control											J	W 13-11-20			

DQA: **WORK ORDER NON-CONFORMANCE / UPDATE** Yes / No NCR: QA Closed: Date: **AGAINST DEPARTMENT/PROCESS** DISPOSITION Work Order: Skid-tube Crosstube Water Jet Engineering Rework Part No. Small Fab Prod. Eng. Coor. Quality Scrap Machining Thermoforming Finishing Rec/Store/Packaging Other Use-as-is NCR No. Composite Supplier Work Order Update Large Fab Description of work order update Action Sign & Initial Root Chief Eng Description Verification QC Inspector Date Step Qtv or Non-conformance Date Cause Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved **FAULT CATEGORY Landing Gear** General Bend Ovalized Pressure/Forced Bending Grain BOM/Route Centre Not Concentric to O/S Hardware Over/Under tolerance Temperature/Cure Broken/Damaged Cracks Inspection Incomplete Part Incorrect Weld Crushed/Crimped Burrs Instructions Incomplete/Unclear Part Lost/Missing Wrong Stock Pulled Cuffs Contamination Maintenance Part Moved Heat Treat Countersink Mislabeled Positioned Wrong Inspection Strip in Tube Cut Too Short Misread Power Loss/Surge Other **Drill Holes** Offset Ripples in Bend

Out of Calibration

Out of Sequence

Outside Dimensions

Date:

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Picklist Print September-11-13 11:53:15 AM Work Order ID: 106919 D2174-041 Start Date: 10/17/13 Parent Item: Required Date: 10/17/13 Start Otv: 2.00 Parent Item Name: Web Assembly Required Oty: 2.00 IPP: D04.06.10Reformat; Changed Step 2KJ/JLM Comments: IPP Rev:E As per Rev E 06-11-22 JLM Oty per Kit Total Component Item ID/ Replacement Last Unit of Qty on Mfg/ Otv Date Status Bin **Primary** Route Item Name Item ID Location Seq ID Measure Hand Issued Issued Location Purch Item Otv DAS AN526C832R14 No 140 Each 455.0000 8 Purchased 36 Screw 9-89 Loc Qty Loc Code Location ST346 455 455 124215 DAS 36 DAS N960JD8 NAS1149DN832J No 140 0.0000 Purchased Each 9-89 36 Washer M126319 D2174-1 No 100 4.0000 Each Manufactured Web Location Loc Qty Loc Code GA 94959 D2175-1 100 Each 0.0000 No 2 Manufactured 9-89 Angle LH DAS D2175-2 No 100 Each 8.0000 Manufactured Angle RH **Location** Loc Otv Loc Code GA 95937 95938 140 MS20470AD4-6 No Each 1,883.0000 38 Purchased RIVET, UNIVERSAL HEAD Location Loc Qty Loc Code GA 118927 ST336 1848 125654 1500 m125807 348 ST505 31 31 123021

											DQA	:Date	:		
NCR:	Yes	/ No				WORK ORDER NON-O	100	NFORM	MANCE / UP	DATE					
											QA Closed	: Date	:		
Work Ord	or.					DISPOSITION		AGAINST DEPARTMENT/PROCESS							
Work Order.						Rework	1		Skid-tube	Crosstube	1	Water Jet	Engineering		
Part I	No.					Scrap	1		Machining	Small Fab	Pro	od. Eng. Coor.	Quality		
	,					Use-as-is	1		noforming	Finishing	-	re/Packaging	Other		
NCR I	No.					Work Order Update]		Large Fab	Composite]	Supplier			
Root	_				Descri	ption of work order update		Initial	Δc	tion	Sign &		T		
Cause		Date	Step	Qty		or Non-conformance	1	ief Eng		ription	Date	Verification	QC Inspector		
Doc/Data	П		Otop	Δ.,			1								
Equip/Tooling	П											1			
Operator]												
Material													4		
Setup			1												
Other	П														
Process															
Supplier															
Training			1												
Unapproved			1												
						F	AUI	T CATE	GORY						
Landi	ing (Gear				General	_	-			_	_	_		
		Bending				Bend		Grain			Ovalized		Pressure/Forced		
Centre Not Concentric to O/S						BOM/Route	L	Hardwa	re		Over/Unde	r tolerance	Temperature/Cure		
Cracks						Broken/Damaged		Inspecti	on Incomplete		Part Incorre	ect	Weld		
Crushed/Crimped						Burrs	\perp	instruct	ions Incomplete/	Unclear	Part Lost/M	lissing	Wrong Stock Pulled		
	Cuffs					Contamination		Mainte	enance		Part Moved	l			
	Heat Treat Countersink						Mislabeled				Positioned	_			
		Inspectio	n Strip in	Tube		Cut Too Short		Misread	j		Power Loss	/Surge	Other		

Offset

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Torque Waves in Extrusion

Drill Holes

Drawing

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

September-11-13 11:53:16 AM

Work Order ID:

106919

Parent Item:

D2174-041

Parent Item Name:

Web Assembly

MS21042L08

Nut

Purchased

No

Start Date: 10/17/13

Required Date: 10/17/13

Start Qty: 2.00

Required Qty: 2.00

DAS **36** 9-89

Location	Loc Qty	Loc Code	
ST315	1004		
122141	3		 . / . ~ ~ ~
122452	9		 M1273
122814	500		 ,
123900	492		 \ 8
ST505	2000		 _
125445	2000		

3,004.0000

100

Each

NCR: Y	es / No				WORK ORDER NON-CONFORMANCE / UPDATE											
	•							•		QA Closed:	Da	te:				
Work Orde	֥				DISPOSITION		AGAINST DEPARTMENT/PROCESS									
WOIK OIGE	·				Rework	1 I		Skid-tube	Crosstube	1	Water Jet		Engineering			
Part N	lo.				Scrap	1. [Machining	Small Fab	<u> </u>			Quality			
					Use-as-is	1 1		noforming	Finishing				Other			
NCR No.					Work Order Update			Large Fab	Composite]	Supplier					
D4	-	1		Dosori	ption of work order update	_	nitial	Λα	tion	[C' 0]						
Root Cause	Date	Step	Qty		or Non-conformance		ief Eng		ription	Sign & Date	Verificatio	"	QC Inspector			
Doc/Data	Date	Зсер	<u> </u>	`	or reorrectmentance	1011	ici Liig	Desc	прион	Date	Vermeado	+	Qe mapeetor			
Equip/Tooling	_									,						
Operator																
Material																
Setup																
Other				<u> </u>												
Process																
Supplier																
Training		1														
Unapproved																
					F	AUL	T CATE	GORY								
Landir	ng Gear				General	_	•			-		_				
	Bending				Bend		Grain		<u> </u>	Ovalized		ЦI	Pressure/Forced			
	Centre N	lot Conce	ntric to	o/s	BOM/Route		Hardwa	re		Over/Under	tolerance	-	Temperature/Cure			
	Cracks				Broken/Damaged		Inspecti	ion Incomplete		Part Incorre	ct	Ш'	Weld			
	Crushed/Crimped			ļ	Burrs		Instruct	ions Incomplete/	Unclear	Part Lost/Mi	ssing	LJ'	Wrong Stock Pulled			
	Cuffs			_	Contamination		Mainte			Part Moved						
	Heat Tre	at			Countersink		Mislabe	eled		Positioned V	=	_				
	Inspection	on Strip in	Tube		Cut Too Short		Misread	t		Power Loss/	Surge		Other			
	Ripples i	n Bend			Drill Holes	Offset										
Torque Waves in Extrusion					Drawing		Out of	Calibration					-			

Out of Sequence

Outside Dimensions

DQA:


Date:


Turning Sequence

Wave/Twist in Tube

Finish


H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G





SHEET

2 OF 2



D2174-1

NOTES:

돐

ᇝ

Copyright © 1995
PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE
OR COMMUNICATED TO ANY OTHER PERSON WITH

걸중

₹

PURPOSE

- 1) MATERIAL: 2024-T3 SHEET (QQ-A-200/4) 0.063 THICK (REF. DART SPEC. M2024T3S.063)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 5) ALL DIMENSION ARE IN INCHES